





**İZMİRİ İOĞLU**  
RULMAN SAN. VE TİC. LTD. ŞTİ.



## KASNAK BURÇLARI

[www.izmirlioglurulman.com](http://www.izmirlioglurulman.com)


# Kasnak Burçları



| Borç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1 | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|----|------|-----|--------------|
| 1108    | 9             | 3X1.4  | 3X1.8    | 147            | 6                  | 38 | 22,3 | A   | 0,16         |
| 1108    | 10            | 3X1.4  | 3X1.8    | 147            | 6                  | 38 | 22,3 | A   | 0,16         |
| 1108    | 11            | 4X1.8  | 4X2.5    | 147            | 6                  | 38 | 22,3 | A   | 0,16         |
| 1108    | 12            | 4X1.8  | 4X2.5    | 147            | 6                  | 38 | 22,3 | A   | 0,16         |
| 1108    | 14            | 5X2.3  | 5X3.0    | 147            | 6                  | 38 | 22,3 | A   | 0,16         |
| 1108    | 16            | 5X2.3  | 5X3.0    | 147            | 6                  | 38 | 22,3 | A   | 0,14         |
| 1108    | 18            | 6X2.8  | 6X3.5    | 147            | 6                  | 38 | 22,3 | A   | 0,14         |
| 1108    | 19            | 6X2.8  | 6X3.5    | 147            | 6                  | 38 | 22,3 | A   | 0,14         |
| 1108    | 20            | 6X2.8  | 6X3.5    | 147            | 6                  | 38 | 22,3 | A   | 0,13         |
| 1108    | 22            | 6X2.8  | 6X3.5    | 147            | 6                  | 38 | 22,3 | A   | 0,12         |
| 1108    | 24            | 8X3.3  | 8X4.0    | 147            | 6                  | 38 | 22,3 | A   | 0,11         |
| 1108    | 25            | 8X3.3  | 8X4.0    | 147            | 6                  | 38 | 22,3 | A   | 0,1          |
| 1108    | 28            | 8X2.0* | 8X4.0    | 147            | 6                  | 38 | 22,3 | A   | 0,09         |


| Borç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1   | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|------|------|-----|--------------|
| 1210    | 11            | 4X1.8  | 4X2.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,3          |
| 1210    | 12            | 4X1.8  | 4X2.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,28         |
| 1210    | 14            | 5X2.3  | 5X3.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,28         |
| 1210    | 16            | 5X2.3  | 5X3.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,27         |
| 1210    | 18            | 6X2.8  | 6X3.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,26         |
| 1210    | 19            | 6X2.8  | 6X3.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,25         |
| 1210    | 20            | 6X2.8  | 6X3.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,25         |
| 1210    | 22            | 6X2.8  | 6X3.5    | 407            | 20                 | 47,5 | 25,4 | A   | 0,23         |
| 1210    | 24            | 8X3.3  | 8X4.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,22         |
| 1210    | 25            | 8X3.3  | 8X4.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,21         |
| 1210    | 28            | 8X3.3  | 8X4.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,19         |
| 1210    | 30            | 8X3.3  | 8X4.0    | 407            | 20                 | 47,5 | 25,4 | A   | 0,17         |
| 1210    | 32            | 10X3.3 | 10X5.0   | 407            | 20                 | 47,5 | 25,4 | A   | 0,15         |

# Kasnak Burçları




| Borç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1 | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|----|------|-----|--------------|
| 1610    | 14            | 5X2.3  | 5X3.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,42         |
| 1610    | 16            | 5X2.5  | 5X3.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,41         |
| 1610    | 18            | 6X2.8  | 6X3.5    | 485            | 20                 | 57 | 38,1 | 4   | 0,4          |
| 1610    | 19            | 6X2.8  | 6X3.5    | 485            | 20                 | 57 | 38,1 | 4   | 0,4          |
| 1610    | 20            | 6X2.8  | 6X3.5    | 485            | 20                 | 57 | 38,1 | 4   | 0,39         |
| 1610    | 22            | 6X2.8  | 6X3.5    | 485            | 20                 | 57 | 38,1 | 4   | 0,38         |
| 1610    | 24            | 8X3.3  | 8X4.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,36         |
| 1610    | 25            | 8X3.3  | 8X4.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,35         |
| 1610    | 28            | 8X3.3  | 8X4.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,22         |
| 1610    | 30            | 8X3.3  | 8X4.0    | 485            | 20                 | 57 | 38,1 | 4   | 0,31         |
| 1610    | 32            | 10X3.3 | 10X5.0   | 485            | 20                 | 57 | 38,1 | 4   | 0,29         |
| 1610    | 35            | 10X3.3 | 10X5.0   | 485            | 20                 | 57 | 38,1 | 4   | 0,26         |
| 1610    | 38            | 10X3.3 | 10X5.0   | 485            | 20                 | 57 | 38,1 | 4   | 0,24         |
| 1610    | 40            | 12X3.3 | 12X5.0   | 485            | 20                 | 57 | 38,1 | 4   | 0,22         |
| 1610    | 42            | 12X2.2 | 12X5.0   | 485            | 20                 | 57 | 38,1 | 4   | 0,2          |

# Kasnak Burçları





| Borç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1 | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|----|------|-----|--------------|
| 2012    | 14            | 5X2.3  | 5X3.0    | 800            | 32                 | 70 | 31,8 | A   | 0,79         |
| 2012    | 16            | 5X2.5  | 5X3.0    | 800            | 32                 | 70 | 31,8 | A   | 0,78         |
| 2012    | 18            | 6X2.8  | 6X3.5    | 800            | 32                 | 70 | 31,8 | A   | 0,77         |
| 2012    | 19            | 6X2.8  | 6X3.5    | 800            | 32                 | 70 | 31,8 | A   | 0,76         |
| 2012    | 20            | 6X2.8  | 6X3.5    | 800            | 32                 | 70 | 31,8 | A   | 0,76         |
| 2012    | 22            | 6X2.8  | 6X3.5    | 800            | 32                 | 70 | 31,8 | A   | 0,74         |
| 2012    | 24            | 8X3.3  | 8X4.0    | 800            | 32                 | 70 | 31,8 | A   | 0,72         |
| 2012    | 25            | 8X3.3  | 8X4.0    | 800            | 32                 | 70 | 31,8 | A   | 0,71         |
| 2012    | 28            | 8X3.3  | 8X4.0    | 800            | 32                 | 70 | 31,8 | A   | 0,68         |
| 2012    | 30            | 8X3.3  | 8X4.0    | 800            | 32                 | 70 | 31,8 | A   | 0,66         |
| 2012    | 32            | 10X3.3 | 10X5.0   | 800            | 32                 | 70 | 31,8 | A   | 0,64         |
| 2012    | 35            | 10X3.3 | 10X5.0   | 800            | 32                 | 70 | 31,8 | A   | 0,61         |
| 2012    | 38            | 10X3.3 | 10X5.0   | 800            | 32                 | 70 | 31,8 | A   | 0,57         |
| 2012    | 40            | 12X3.3 | 12X5.0   | 800            | 32                 | 70 | 31,8 | A   | 0,54         |
| 2012    | 42            | 12X3.3 | 12X5.0   | 800            | 32                 | 70 | 31,8 | A   | 0,51         |
| 2012    | 45            | 14X3.8 | 14X5.5   | 800            | 32                 | 70 | 31,8 | A   | 0,47         |
| 2012    | 48            | 14X3.8 | 14X5.5   | 800            | 32                 | 70 | 31,8 | A   | 0,42         |
| 2012    | 50            | 14X3.8 | 14X5.5   | 800            | 32                 | 70 | 31,8 | A   | 0,37         |

# Kasnak Burçları




| Borç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1   | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|------|------|-----|--------------|
| 2517    | 16            | 5X2.3  | 5X3.0    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,75         |
| 2517    | 18            | 6X2.8  | 6X3.5    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,71         |
| 2517    | 19            | 6X2.8  | 6X3.5    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,66         |
| 2517    | 20            | 6X2.8  | 6X3.5    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,62         |
| 2517    | 22            | 6X2.8  | 6X3.5    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,58         |
| 2517    | 24            | 8X3.3  | 8X4.0    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,56         |
| 2517    | 25            | 8X3.3  | 8X4.0    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,56         |
| 2517    | 28            | 8X3.3  | 8X4.0    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,5          |
| 2517    | 30            | 8X3.3  | 8X4.0    | 1310           | 50                 | 85,5 | 44,5 | A   | 1,49         |
| 2517    | 32            | 10X3.3 | 10X5.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,46         |
| 2517    | 35            | 10X3.3 | 10X5.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,42         |
| 2517    | 38            | 10X3.3 | 10X5.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,35         |
| 2517    | 40            | 12X3.3 | 12X5.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,31         |
| 2517    | 42            | 12X3.2 | 12X5.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,26         |
| 2517    | 45            | 14X3.8 | 14X5.5   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,2          |
| 2517    | 48            | 14X3.8 | 14X5.5   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,14         |
| 2517    | 50            | 14X3.8 | 14X5.5   | 1310           | 50                 | 85,5 | 44,5 | A   | 1,1          |
| 2517    | 55            | 16X4.3 | 16X6.0   | 1310           | 50                 | 85,5 | 44,5 | A   | 0,95         |
| 2517    | 60            | 18X4.4 | 17X7.0   | 1310           | 85,5               | 85,5 | 44,5 | A   | 0,82         |

# Kasnak Burçları




| Burç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1  | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-----|------|-----|--------------|
| 3020    | 25            | 8x3,3  | 8x4      | 2710           | 90                 | 108 | 50,8 | A   | 2,93         |
| 3020    | 28            | 8x3,3  | 8x4      | 2710           | 90                 | 108 | 50,8 | A   | 2,88         |
| 3020    | 30            | 8x3,3  | 8x4      | 2710           | 90                 | 108 | 50,8 | A   | 2,85         |
| 3020    | 32            | 10x3,3 | 10x5     | 2710           | 90                 | 108 | 50,8 | A   | 2,84         |
| 3020    | 35            | 10x3,3 | 10x5     | 2710           | 90                 | 108 | 50,8 | A   | 2,77         |
| 3020    | 38            | 10x3,3 | 10x5     | 2710           | 90                 | 108 | 50,8 | A   | 2,71         |
| 3020    | 40            | 12x3,3 | 12x5     | 2710           | 90                 | 108 | 50,8 | A   | 2,67         |
| 3020    | 42            | 12x3,3 | 12x5     | 2710           | 90                 | 108 | 50,8 | A   | 2,6          |
| 3020    | 45            | 14x3,8 | 14x5,5   | 2710           | 90                 | 108 | 50,8 | A   | 2,56         |
| 3020    | 48            | 14x3,8 | 14x5,5   | 2710           | 90                 | 108 | 50,8 | A   | 2,47         |
| 3020    | 50            | 14x3,8 | 14x5,5   | 2710           | 90                 | 108 | 50,8 | A   | 2,2          |
| 3020    | 55            | 16x4,3 | 16x6     | 2710           | 90                 | 108 | 50,8 | A   | 2,15         |
| 3020    | 60            | 18x4,4 | 18x7     | 2710           | 90                 | 108 | 50,8 | A   | 2,07         |
| 3020    | 65            | 18x4,4 | 18x7     | 2710           | 90                 | 108 | 50,8 | A   | 1,93         |
| 3020    | 70            | 20x4,9 | 20x7,5   | 2710           | 90                 | 108 | 50,8 | A   | 1,7          |
| 3020    | 75            | 20x4,9 | 20x7,5   | 2710           | 90                 | 108 | 50,8 | A   | 1,5          |

# Kasnak Burçları




| Burç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1  | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-----|------|-----|--------------|
| 3030    | 35            | 10X3,3 | 10X5     | 2710           | 90                 | 108 | 76,2 | A   | 3,97         |
| 3030    | 38            | 10X3,3 | 10X5     | 2710           | 90                 | 108 | 76,2 | A   | 3,89         |
| 3030    | 40            | 12X3,3 | 12X5     | 2710           | 90                 | 108 | 76,2 | A   | 3,8          |
| 3030    | 42            | 12X3,3 | 12X5     | 2710           | 90                 | 108 | 76,2 | A   | 3,65         |
| 3030    | 45            | 14X3,8 | 14X5,5   | 2710           | 90                 | 108 | 76,2 | A   | 3,4          |
| 3030    | 48            | 14X3,8 | 14X5,5   | 2710           | 90                 | 108 | 76,2 | A   | 3,5          |
| 3030    | 50            | 14X3,8 | 14X5,5   | 2710           | 90                 | 108 | 76,2 | A   | 3,42         |
| 3030    | 55            | 16X4,3 | 16X6     | 2710           | 90                 | 108 | 76,2 | A   | 3,2          |
| 3030    | 60            | 18X4,4 | 18X7     | 2710           | 90                 | 108 | 76,2 | A   | 2,95         |
| 3030    | 65            | 18X4,4 | 18X7     | 2710           | 90                 | 108 | 76,2 | A   | 2,67         |
| 3030    | 70            | 20X4,9 | 20X7,5   | 2710           | 90                 | 108 | 76,2 | A   | 2,45         |
| 3030    | 75            | 20X4,9 | 20X7,5   | 2710           | 90                 | 108 | 76,2 | A   | 2,1          |

# Kasnak Burçları





| Burç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1  | S    | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-----|------|-----|--------------|
| 3535    | 35            | 10X3,3 | 10X5     | 5100           | 115                | 127 | 88,9 | B   | 6,6          |
| 3535    | 38            | 10X3,3 | 10X5     | 5100           | 115                | 127 | 88,9 | B   | 6,5          |
| 3535    | 40            | 12X3,3 | 12X5     | 5100           | 115                | 127 | 88,9 | B   | 6,4          |
| 3535    | 42            | 12X3,3 | 12X5     | 5100           | 115                | 127 | 88,9 | B   | 6,34         |
| 3535    | 45            | 14X3,8 | 14X5,5   | 5100           | 115                | 127 | 88,9 | B   | 6,25         |
| 3535    | 48            | 14X3,8 | 14X5,5   | 5100           | 115                | 127 | 88,9 | B   | 6,1          |
| 3535    | 50            | 14X3,8 | 14X5,5   | 5100           | 115                | 127 | 88,9 | B   | 6            |
| 3535    | 55            | 16X4,3 | 16X6     | 5100           | 115                | 127 | 88,9 | B   | 5,77         |
| 3535    | 60            | 18X4,4 | 18X7     | 5100           | 115                | 127 | 88,9 | B   | 5,45         |
| 3535    | 65            | 18X4,4 | 18X7     | 5100           | 115                | 127 | 88,9 | B   | 5,15         |
| 3535    | 70            | 20X4,9 | 20X7,5   | 5100           | 115                | 127 | 88,9 | B   | 4,8          |
| 3535    | 75            | 20X4,9 | 20X7,5   | 5100           | 115                | 127 | 88,9 | B   | 4,45         |
| 3535    | 80            | 22X5,4 | 22X9     | 5100           | 115                | 127 | 88,9 | B   | 4,06         |
| 3535    | 85            | 22X5,4 | 22X9     | 5100           | 115                | 127 | 88,9 | B   | 3,63         |
| 3535    | 90            | 25X5,4 | 25X9     | 5100           | 115                | 127 | 88,9 | B   | 3,5          |

# Kasnak Burçları



| Burç no | MİL Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1  | S     | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-----|-------|-----|--------------|
| 4040    | 40            | 12X3,3 | 12X5     | 8730           | 195                | 146 | 101,6 | B   | 10,46        |
| 4040    | 42            | 12X3,3 | 12X5     | 8730           | 195                | 146 | 101,6 | B   | 10,07        |
| 4040    | 45            | 14X3,8 | 14X5,5   | 8730           | 195                | 146 | 101,6 | B   | 9,77         |
| 4040    | 48            | 14X3,8 | 14X5,5   | 8730           | 195                | 146 | 101,6 | B   | 9,64         |
| 4040    | 50            | 14X3,8 | 14X5,5   | 8730           | 195                | 146 | 101,6 | B   | 9,5          |
| 4040    | 55            | 16X4,3 | 16X6     | 8730           | 195                | 146 | 101,6 | B   | 9,25         |
| 4040    | 60            | 18X4,4 | 18X7     | 8730           | 195                | 146 | 101,6 | B   | 8,9          |
| 4040    | 65            | 18X4,4 | 18X7     | 8730           | 195                | 146 | 101,6 | B   | 8,5          |
| 4040    | 70            | 20X4,9 | 20X7,5   | 8730           | 195                | 146 | 101,6 | B   | 8,2          |
| 4040    | 75            | 20X4,9 | 20X7,5   | 8730           | 195                | 146 | 101,6 | B   | 7,7          |
| 4040    | 80            | 22X5,4 | 22X9     | 8730           | 195                | 146 | 101,6 | B   | 7,4          |
| 4040    | 85            | 22X5,4 | 22X9     | 8730           | 195                | 146 | 101,6 | B   | 6,9          |
| 4040    | 90            | 25X5,4 | 25X9     | 8730           | 195                | 146 | 101,6 | B   | 6,4          |
| 4040    | 95            | 25X5,4 | 25X9     | 8730           | 195                | 146 | 101,6 | B   | 5,95         |
| 4040    | 100           | 28X6,4 | 28X10    | 8730           | 195                | 146 | 101,6 | B   | 5,5          |

# Kasnak Burçları



| Burç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1  | S   | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-----|-----|-----|--------------|
| 4545    | 55            | 16X4,3 | 16X6     | 12430          | 280                | 162 | 115 | B   | 13,2         |
| 4545    | 60            | 18X4,4 | 18X7     | 12430          | 280                | 162 | 115 | B   | 12,9         |
| 4545    | 65            | 18X4,4 | 18X7     | 12430          | 280                | 162 | 115 | B   | 12,4         |
| 4545    | 70            | 20X4,9 | 20X7,5   | 12430          | 280                | 162 | 115 | B   | 12           |
| 4545    | 75            | 20X4,9 | 20X7,5   | 12430          | 280                | 162 | 115 | B   | 11,5         |
| 4545    | 80            | 22X5,4 | 22X9     | 12430          | 280                | 162 | 115 | B   | 10,9         |
| 4545    | 85            | 22X5,4 | 22X9     | 12430          | 280                | 162 | 115 | B   | 10,5         |
| 4545    | 90            | 25X5,4 | 25X9     | 12430          | 280                | 162 | 115 | B   | 9,9          |
| 4545    | 95            | 25X5,4 | 25X9     | 12430          | 280                | 162 | 115 | B   | 9,5          |
| 4545    | 100           | 28X6,4 | 28X10    | 12430          | 280                | 162 | 115 | B   | 8,9          |
| 4545    | 105           | 28X6,4 | 28X10    | 12430          | 280                | 162 | 115 | B   | 8,2          |
| 4545    | 110           | 28X6,4 | 28X10    | 12430          | 280                | 162 | 115 | B   | 7,4          |

| Burç no | Mil Çapı (mm) | Kama   | Setiskur | Max. Tork (Nm) | Setiskur Tork (Nm) | D1    | S   | Tip | Ağırlık (kg) |
|---------|---------------|--------|----------|----------------|--------------------|-------|-----|-----|--------------|
| 5050    | 70            | 20X4,9 | 20X7,5   | 14240          | 350                | 177,6 | 127 | B   | 17           |
| 5050    | 75            | 20X4,9 | 20X7,5   | 14240          | 350                | 177,6 | 127 | B   | 16,3         |
| 5050    | 80            | 22X5,4 | 22X9     | 14240          | 350                | 177,6 | 127 | B   | 15,6         |
| 5050    | 85            | 22X5,4 | 22X9     | 14240          | 350                | 177,6 | 127 | B   | 15           |
| 5050    | 90            | 25X5,4 | 25X9     | 14240          | 350                | 177,6 | 127 | B   | 14,4         |
| 5050    | 95            | 25X5,4 | 25X9     | 14240          | 350                | 177,6 | 127 | B   | 13,6         |
| 5050    | 100           | 28X6,4 | 28X10    | 14240          | 350                | 177,6 | 127 | B   | 12,9         |
| 5050    | 105           | 28X6,4 | 28X10    | 14240          | 350                | 177,6 | 127 | B   | 12,3         |
| 5050    | 110           | 28X6,4 | 28X10    | 14240          | 350                | 177,6 | 127 | B   | 11,5         |
| 5050    | 115           | 32X7,4 | 32X11    | 14240          | 350                | 177,6 | 127 | B   | 10,6         |
| 5050    | 120           | 32X7,4 | 32X11    | 14240          | 350                | 177,6 | 127 | B   | 9,8          |
| 5050    | 125           | 32X7,4 | 32X11    | 14240          | 350                | 177,6 | 127 | B   | 8,9          |